

Date July 2, 1958

MATERIAL BALANCE ON RADIOACTIVE ISOTOPES OBTAINED BY M. STERN

[illegible]

Signed: E. A. Tones

UCCNHT00000505

Date: July 2, 1958

RECORD OF FILM BADGE AND POCKET DOSIMETER USE

Name	Badge No. 128-	Badge Date	Badge Received	Badge Returned	Chamber No.	Chamber Dose	Comments
M. Stern	.001	4/1/58	4/1/58	4/30/58			
E. Tomes	.002	"	"	"			
E. Bartolomei	.003	"	"	"			B. Mitchell
N. Rosenthal	.004	"	"	"			
E. Schwinger	.005	"	"	"			
B. Lupica	.006	"	"	"			
W. W. Webb	.007	"	"	"			
N. Bertolone	.008	"	"	"			
A. Silvaggi	.009	"	"	"			
M. Stern	.001	5/1/58	5/1/58	5/30/58			
E. Tomes	.002	"	"	"			
E. Bartolomei	.003	"	"	"			
Mitchell-Rosenthal	.004	"	"	"			
E. Schwinger	.005	"	"	"			
B. Lupica	.006	"	"	"			
W. W. Webb	.007	"	"	"			Open window reading-2780
N. Bertolone	.008	"	"	"			
A. Silvaggi	.009	"	"	"			
M. Stern	.001						
E. Tomes	.002						
E. Bartolomei	.003						
	.004						
	.005						
	.006						
W. W. Webb	.007						
N. Bertolone	.008						
A. Silvaggi	.009						
M. Stern	.001						
E. Tomes	.002						
E. Bartolomei	.003						
	.004						
	.005						
	.006						
W. W. Webb	.007						
N. Bertolone	.008						
A. Silvaggi	.009						

Nuclear Chicago reports showed an exposure of less than 50 mr. for all badges used through May 30, 1958

Signed: Ea. Tomes

UCCNHT0000506